



## Test Type Falloff

**Company Name** Fictional Oil Company Inc.  
**Contact** Joe Engineer

**Well Name** FOCI Hz Canada 103/1-2-3-4  
**Unique Well ID** 103/01-02-003-04W5/0  
**Well License Number** 0000000

**Formation** Lower Jurassic  
**Start Test Date** 2026/02/26  
**Final Test Date** 2026/03/03

**Prepared By:** Kennason Tech Services Inc.

**Qualified By:** Cory Strang  
**Phone:** 403-361-0611  
**email:** [corystrang@kennasontech.ca](mailto:corystrang@kennasontech.ca)  
**Web:** [www.kennasontech.ca](http://www.kennasontech.ca)



# Pressure Survey Report

## Falloff

**Company Name** Fictional Oil Company Inc.  
**Contact** Joe Engineer

**Representative** Sales Rep

### General Information

<b>Well Name</b>	FOCI Hz Canada 103/1-2-3-4	<b>KB Elevation (SL)</b>	497.05 m
<b>Unique Well ID</b>	103/01-02-003-04W5/0	<b>CF Elevation (SL)</b>	493.20 m
<b>Surface Location</b>	103/1-2-3-4	<b>GL Elevation (SL)</b>	492.95 m
<b>Well License Number</b>	0000000	<b>KB-CF Offset</b>	3.85 m
<b>Well Type</b>	Horizontal	<b>KB-GL Offset</b>	4.10 m

### Wellbore Information

<b>Tubing OD</b>	mm	<b>Casing OD</b>	177.8 mm
<b>Tubing ID</b>	mm	<b>Casing ID</b>	161.7 mm
<b>Tubing Depth(Log KB)</b>	m	<b>Casing Depth(Log KB)</b>	812.00000 m
<b>Tubing Depth(TVD KB)</b>	m	<b>Casing Depth(TVD KB)</b>	672.63000 m
<b>Packer Depth(Log KB)</b>	m	<b>PBTD(Log KB)</b>	2210.00 m
<b>Packer Depth(TVD KB)</b>	m	<b>PBTD(TVD KB)</b>	689.83 m

### Gross Completion Interval (GCI) as tested:

<b>Top(Log KB)</b>	812.00 m	<b>Top(TVD KB)</b>	672.63 m	<b>Formation Name</b>	Lower Jurassic
<b>Bottom(Log KB)</b>	2210.00 m	<b>Bottom(TVD KB)</b>	689.83 m	<b>Pool</b>	
<b>MPP(Log KB)</b>	1511.00 m	<b>MPP(TVD KB)</b>	681.23 m		

### Test Information

<b>Test Type</b>	Falloff	<b>Date/Time Gauge on Bottom</b>	2026/02/26 01:28:02
<b>Well Fluid Type</b>	01 Oil	<b>Date/Time Gauge Off Bottom</b>	2026/03/03 14:32:02
<b>Test Purpose</b>	Initial Test	<b>Time/Date Well Shut-In</b>	2026/02/26 01:28:02

### Surface Pressures:

<b>Tubing Pressure Initial</b>	kPa(a)	<b>Casing Pressure Initial</b>	93.00 kPa(a)
<b>Tubing Pressure: Final</b>	kPa(a)	<b>Casing Pressure: Final</b>	93.00 kPa(a)


### Test Results

<b>Gauge Serial Number Used in Summary</b>	2613	<b>Run Depth (Log KB)</b>	690.00 m
<b>MPP(TVD KB)</b>	681.23 m	<b>Run Depth (TVD KB)</b>	652.03 m
<b>Representative Pressure at MPP</b>	3479.02 kPa(a)	<b>Last Measured Pressure at Run Depth</b>	3192.98 kPa(a)
<b>Reservoir Temperature</b>	29.09 °C	<b>Temperature at Run Depth</b>	27.2 °C


### Test Remarks:

Used 9.796 kPa/m and 0.03 C/m for the pressure & temperature calcs to midpoint of the interval.  
 The Recorders ran at surface for 181hrs before & 22hrs after they were in the well - trimmed that extra data off for cleaner plots and data table.

# Pressure & Temperature Plot



# Gauge Pressure Difference Plot



# Recorder Information

<b>Company Name</b> Fictional Oil Company Inc. <b>Unique Well ID</b> 103/01-02-003-04W5/0  <b>Start Test Date</b> 2026/02/26 <b>Final Test Date</b> 2026/03/03	<b>Well Name</b> FOCI Hz Canada 103/1-2-3-4 <b>Formation</b> Lower Jurassic
--	--

<b>Gauge Name</b> Bottom <b>Gauge Serial Number</b> 100001 <b>Run Depth (TVD KB)</b> 652.03 <b>Date of Last Calibration</b> 2025/07/21 <b>Gauge Start Date</b> 2026/02/18 <b>Gauge Stop Date</b> 2026/03/04 <b>Date Gauge On Bottom</b> 2026/02/26 <b>Date Gauge Off Bottom</b> 2026/03/03	<b>Gauge Type</b> Strain <b>Gauge Manufacturer</b> KTSI Piezo <b>Gauge Model</b> KTSI01  <b>Maximum Recorder Range</b> 20684.00 <b>Gauge Start Time</b> 11:22:00 <b>Gauge Stop Time</b> 13:18:32 <b>Time Gauge On Bottom</b> 01:28:02 <b>Time Gauge Off Bottom</b> 14:32:02
---	---

<b>Gauge Name</b> Top <b>Gauge Serial Number</b> 100002 <b>Run Depth (TVD KB)</b> 651.94 <b>Date of Last Calibration</b> 2025/07/21 <b>Gauge Start Date</b> 2026/02/18 <b>Gauge Stop Date</b> 2026/03/04 <b>Date Gauge On Bottom</b> 2026/02/26 <b>Date Gauge Off Bottom</b> 2026/03/03	<b>Gauge Type</b> Strain <b>Gauge Manufacturer</b> KTSI Piezo <b>Gauge Model</b> KTSI02  <b>Maximum Recorder Range</b> 20684.00 <b>Gauge Start Time</b> 11:22:00 <b>Gauge Stop Time</b> 13:18:32 <b>Time Gauge On Bottom</b> 01:28:02 <b>Time Gauge Off Bottom</b> 14:32:02
--	---

Company Name Fictional Oil Company Inc.  
 Unique Well ID 103/01-02-003-04W5/0  
 Start Test Date 2026/02/26  
 Final Test Date 2026/03/03

Well Name FOCI Hz Canada 103/1-2-3-4  
 Formation Lower Jurassic

	Bottom Date	Bottom Time	Bottom Pres.	Bottom Temp.	Bottom G1 - G2	Top Time	Top Pres.	Top Temp.
	YYYY/MM/DD HH:mm:ss	h	kPa(a)	°C	kPa	h	kPa(a)	°C
1	2026/02/26 00:30:02	181.1339	97.42	-0.88	-4.99	181.1339	102.40	-1.13
2	2026/02/26 00:51:02	181.4839	936.97	15.24	1.21	181.4839	935.76	15.01
3	2026/02/26 01:12:02	181.8339	3517.61	20.83	11.15	181.8339	3506.47	20.69
4	2026/02/26 01:28:02	182.1006	4746.41	24.91	12.90	182.1006	4733.51	24.80
5	Set the WRP/Recorders @ 652.03 mKB TVD (690.0 mKB MD)							
6	2026/02/26 01:28:32	182.1089	4726.62	24.96	4.02	182.1089	4722.61	24.88
7	2026/02/26 01:33:02	182.1839	4622.53	25.13	-0.77	182.1839	4623.30	25.11
8	2026/02/26 01:54:02	182.5339	4471.00	25.40	0.99	182.5339	4470.02	25.38
9	2026/02/26 02:15:02	182.8839	4398.34	25.71	1.30	182.8839	4397.05	25.69
10	2026/02/26 02:36:02	183.2339	4343.46	25.85	1.22	183.2339	4342.24	25.85
11	2026/02/26 02:57:02	183.5839	4297.40	26.05	1.16	183.5839	4296.24	26.06
12	2026/02/26 03:18:02	183.9339	4257.65	26.23	1.26	183.9339	4256.39	26.24
13	2026/02/26 03:39:02	184.2839	4222.06	26.41	1.18	184.2839	4220.88	26.41
14	2026/02/26 04:00:02	184.6339	4189.86	26.58	1.14	184.6339	4188.72	26.58
15	2026/02/26 04:21:02	184.9839	4160.45	26.76	1.22	184.9839	4159.23	26.75
16	2026/02/26 04:42:02	185.3339	4133.23	26.90	1.26	185.3339	4131.97	26.89
17	2026/02/26 05:03:02	185.6839	4107.88	27.03	1.20	185.6839	4106.68	27.02
18	2026/02/26 05:24:02	186.0339	4084.13	27.15	1.15	186.0339	4082.97	27.14
19	2026/02/26 05:45:02	186.3839	4061.93	27.25	1.11	186.3839	4060.81	27.25
20	2026/02/26 06:06:02	186.7339	4041.03	27.36	1.11	186.7339	4039.91	27.35
21	2026/02/26 06:27:02	187.0839	4021.35	27.45	1.21	187.0839	4020.14	27.44
22	2026/02/26 06:48:02	187.4339	4002.56	27.55	1.16	187.4339	4001.40	27.53
23	2026/02/26 07:09:02	187.7839	3984.78	27.63	1.21	187.7839	3983.57	27.61
24	2026/02/26 07:30:02	188.1339	3967.79	27.70	1.13	188.1339	3966.66	27.68
25	2026/02/26 07:51:02	188.4839	3951.59	27.77	1.16	188.4839	3950.44	27.75
26	2026/02/26 08:12:02	188.8339	3936.20	27.83	1.09	188.8339	3935.12	27.81
27	2026/02/26 08:33:02	189.1839	3921.39	27.89	1.12	189.1839	3920.28	27.87
28	2026/02/26 08:54:02	189.5339	3907.07	27.94	1.13	189.5339	3905.94	27.92
29	2026/02/26 09:15:02	189.8839	3893.52	28.00	1.10	189.8839	3892.42	27.97
30	2026/02/26 09:36:02	190.2339	3880.49	28.05	1.13	190.2339	3879.36	28.03
31	2026/02/26 09:57:02	190.5839	3867.89	28.09	1.00	190.5839	3866.89	28.06
32	2026/02/26 10:18:02	190.9339	3855.79	28.13	1.03	190.9339	3854.77	28.10
33	2026/02/26 10:39:02	191.2839	3844.26	28.17	1.13	191.2839	3843.13	28.14
34	2026/02/26 11:00:02	191.6339	3832.93	28.20	1.07	191.6339	3831.86	28.17
35	2026/02/26 11:21:02	191.9839	3822.17	28.25	1.00	191.9839	3821.17	28.21
36	2026/02/26 11:42:02	192.3339	3811.70	28.27	0.99	192.3339	3810.71	28.24
37	2026/02/26 12:03:02	192.6839	3801.62	28.30	0.97	192.6839	3800.66	28.27
38	2026/02/26 12:24:02	193.0339	3791.89	28.34	1.07	193.0339	3790.82	28.30
39	2026/02/26 12:45:02	193.3839	3782.47	28.36	1.03	193.3839	3781.44	28.32
40	2026/02/26 13:06:02	193.7339	3773.32	28.39	1.03	193.7339	3772.29	28.35
41	2026/02/26 13:27:02	194.0839	3764.35	28.40	0.95	194.0839	3763.40	28.37
42	2026/02/26 13:48:02	194.4339	3755.89	28.42	1.11	194.4339	3754.79	28.38
43	2026/02/26 14:09:02	194.7839	3747.52	28.44	0.99	194.7839	3746.53	28.40
44	2026/02/26 14:30:02	195.1339	3739.37	28.45	1.07	195.1339	3738.30	28.42
45	2026/02/26 14:51:02	195.4839	3731.60	28.48	1.16	195.4839	3730.44	28.44

Print Filter: Approximately every 42 lines

Gauge Name	Serial Number	Start Date	Start Time	Run Depth (TVD)
Bottom	100001	2026/02/18	11:22:00	652.03 m
Top	100002	2026/02/18	11:22:00	651.94 m

Company Name Fictional Oil Company Inc.  
 Unique Well ID 103/01-02-003-04W5/0  
 Start Test Date 2026/02/26  
 Final Test Date 2026/03/03

Well Name FOCI Hz Canada 103/1-2-3-4  
 Formation Lower Jurassic

	Bottom Date	Bottom Time	Bottom Pres.	Bottom Temp.	Bottom G1 - G2	Top Time	Top Pres.	Top Temp.
	(YYYY/MM/DD HH:mm:ss)	h	kPa(a)	°C	kPa	h	kPa(a)	°C
46	2026/02/26 15:12:02	195.8339	3723.88	28.49	1.05	195.8339	3722.84	28.45
47	2026/02/26 15:33:02	196.1839	3716.46	28.50	1.04	196.1839	3715.42	28.47
48	2026/02/26 15:54:02	196.5339	3709.20	28.51	0.97	196.5339	3708.23	28.48
49	2026/02/26 16:15:02	196.8839	3702.28	28.53	1.09	196.8839	3701.18	28.50
50	2026/02/26 16:36:02	197.2339	3695.49	28.55	1.11	197.2339	3694.38	28.51
51	2026/02/26 16:57:02	197.5839	3688.83	28.56	1.04	197.5839	3687.79	28.52
52	2026/02/26 17:18:02	197.9339	3682.27	28.56	0.98	197.9339	3681.29	28.53
53	2026/02/26 17:39:02	198.2839	3676.15	28.57	1.06	198.2839	3675.08	28.54
54	2026/02/26 18:00:02	198.6339	3669.91	28.58	1.11	198.6339	3668.79	28.55
55	2026/02/26 18:21:02	198.9839	3663.65	28.60	0.94	198.9839	3662.71	28.56
56	2026/02/26 18:42:02	199.3339	3657.83	28.60	1.01	199.3339	3656.82	28.57
57	2026/02/26 19:03:02	199.6839	3651.94	28.61	1.05	199.6839	3650.89	28.57
58	2026/02/26 19:24:02	200.0339	3646.24	28.62	1.04	200.0339	3645.20	28.59
59	2026/02/26 19:45:02	200.3839	3640.63	28.63	1.11	200.3839	3639.52	28.60
60	2026/02/26 20:06:02	200.7339	3635.11	28.63	1.12	200.7339	3633.99	28.60
61	2026/02/26 20:27:02	201.0839	3629.69	28.64	1.12	201.0839	3628.57	28.61
62	2026/02/26 20:48:02	201.4339	3624.31	28.65	1.05	201.4339	3623.26	28.62
63	2026/02/26 21:09:02	201.7839	3619.06	28.65	1.04	201.7839	3618.02	28.62
64	2026/02/26 21:30:02	202.1339	3613.96	28.65	1.07	202.1339	3612.89	28.62
65	2026/02/26 21:51:02	202.4839	3608.93	28.65	1.03	202.4839	3607.89	28.62
66	2026/02/26 22:12:02	202.8339	3604.04	28.66	1.10	202.8339	3602.94	28.63
67	2026/02/26 22:33:02	203.1839	3599.18	28.67	1.04	203.1839	3598.14	28.64
68	2026/02/26 22:54:02	203.5339	3594.52	28.67	1.17	203.5339	3593.35	28.64
69	2026/02/26 23:15:02	203.8839	3589.82	28.67	1.01	203.8839	3588.81	28.64
70	2026/02/26 23:36:02	204.2339	3585.38	28.68	1.10	204.2339	3584.28	28.64
71	2026/02/26 23:57:02	204.5839	3580.93	28.69	1.13	204.5839	3579.80	28.66
72	2026/02/27 00:18:02	204.9339	3576.58	28.69	1.10	204.9339	3575.48	28.65
73	2026/02/27 00:39:02	205.2839	3572.26	28.69	1.10	205.2839	3571.17	28.65
74	2026/02/27 01:00:02	205.6339	3568.11	28.69	1.09	205.6339	3567.02	28.66
75	2026/02/27 01:21:02	205.9839	3564.09	28.69	1.15	205.9839	3562.94	28.67
76	2026/02/27 01:42:02	206.3339	3559.93	28.69	1.07	206.3339	3558.86	28.66
77	2026/02/27 02:03:02	206.6839	3555.96	28.69	0.93	206.6839	3555.03	28.67
78	2026/02/27 02:24:02	207.0339	3552.13	28.70	1.13	207.0339	3551.01	28.67
79	2026/02/27 02:45:02	207.3839	3548.36	28.70	1.12	207.3839	3547.25	28.67
80	2026/02/27 03:06:02	207.7339	3544.61	28.71	1.13	207.7339	3543.49	28.68
81	2026/02/27 03:27:02	208.0839	3540.89	28.72	1.06	208.0839	3539.83	28.69
82	2026/02/27 03:48:02	208.4339	3537.24	28.71	1.08	208.4339	3536.16	28.69
83	2026/02/27 04:09:02	208.7839	3533.66	28.71	1.06	208.7839	3532.60	28.68
84	2026/02/27 04:30:02	209.1339	3530.17	28.72	1.08	209.1339	3529.09	28.69
85	2026/02/27 04:51:02	209.4839	3526.73	28.72	1.14	209.4839	3525.59	28.69
86	2026/02/27 05:12:02	209.8339	3523.35	28.72	1.17	209.8339	3522.18	28.69
87	2026/02/27 05:33:02	210.1839	3519.88	28.72	1.07	210.1839	3518.81	28.69
88	2026/02/27 05:54:02	210.5339	3516.73	28.72	1.12	210.5339	3515.61	28.69
89	2026/02/27 06:15:02	210.8839	3513.39	28.72	1.03	210.8839	3512.36	28.70
90	2026/02/27 06:36:02	211.2339	3510.21	28.72	1.12	211.2339	3509.09	28.69

Print Filter: Approximately every 42 lines

Gauge Name	Serial Number	Start Date	Start Time	Run Depth (TVD)
Bottom	100001	2026/02/18	11:22:00	652.03 m
Top	100002	2026/02/18	11:22:00	651.94 m

Company Name Fictional Oil Company Inc.  
 Unique Well ID 103/01-02-003-04W5/0  
 Start Test Date 2026/02/26  
 Final Test Date 2026/03/03

Well Name FOCI Hz Canada 103/1-2-3-4  
 Formation Lower Jurassic

	Bottom Date	Bottom Time	Bottom Pres.	Bottom Temp.	Bottom G1 - G2	Top Time	Top Pres.	Top Temp.
	YYYY/MM/DD HH:mm:ss	h	kPa(a)	°C	kPa	h	kPa(a)	°C
91	2026/02/27 06:57:02	211.5839	3507.02	28.72	1.13	211.5839	3505.90	28.69
92	2026/02/27 07:18:02	211.9339	3504.02	28.72	1.13	211.9339	3502.89	28.69
93	2026/02/27 07:39:02	212.2839	3500.95	28.71	1.10	212.2839	3499.85	28.69
94	2026/02/27 08:00:02	212.6339	3497.93	28.71	1.14	212.6339	3496.79	28.69
95	2026/02/27 08:21:02	212.9839	3494.98	28.71	1.08	212.9839	3493.90	28.69
96	2026/02/27 08:42:02	213.3339	3492.05	28.72	1.19	213.3339	3490.86	28.69
97	2026/02/27 09:03:02	213.6839	3489.13	28.71	1.14	213.6839	3487.99	28.69
98	2026/02/27 09:24:02	214.0339	3486.36	28.71	1.18	214.0339	3485.18	28.69
99	2026/02/27 09:45:02	214.3839	3483.57	28.71	1.22	214.3839	3482.35	28.69
100	2026/02/27 10:06:02	214.7339	3480.74	28.71	1.09	214.7339	3479.65	28.69
101	2026/02/27 10:27:02	215.0839	3478.05	28.71	1.19	215.0839	3476.86	28.69
102	2026/02/27 10:48:02	215.4339	3475.38	28.71	1.20	215.4339	3474.18	28.68
103	2026/02/27 11:09:02	215.7839	3472.67	28.71	1.18	215.7839	3471.50	28.69
104	2026/02/27 11:30:02	216.1339	3470.05	28.71	1.10	216.1339	3468.95	28.69
105	2026/02/27 11:51:02	216.4839	3467.45	28.70	1.13	216.4839	3466.32	28.68
106	2026/02/27 12:12:02	216.8339	3464.85	28.71	1.07	216.8339	3463.78	28.69
107	2026/02/27 12:33:02	217.1839	3462.37	28.71	1.13	217.1839	3461.24	28.69
108	2026/02/27 12:54:02	217.5339	3459.83	28.71	1.12	217.5339	3458.71	28.69
109	2026/02/27 13:15:02	217.8839	3457.37	28.71	1.20	217.8839	3456.17	28.69
110	2026/02/27 13:36:02	218.2339	3454.93	28.71	1.07	218.2339	3453.86	28.68
111	2026/02/27 13:57:02	218.5839	3452.53	28.71	1.13	218.5839	3451.40	28.68
112	2026/02/27 14:18:02	218.9339	3450.08	28.71	1.08	218.9339	3449.00	28.68
113	2026/02/27 14:39:02	219.2839	3447.85	28.70	1.24	219.2839	3446.61	28.68
114	2026/02/27 15:00:02	219.6339	3445.50	28.70	1.13	219.6339	3444.37	28.68
115	2026/02/27 15:21:02	219.9839	3443.15	28.70	1.12	219.9839	3442.04	28.68
116	2026/02/27 15:42:02	220.3339	3440.86	28.69	1.14	220.3339	3439.72	28.68
117	2026/02/27 16:03:02	220.6839	3438.78	28.69	1.22	220.6839	3437.56	28.67
118	2026/02/27 16:24:02	221.0339	3436.47	28.69	1.14	221.0339	3435.32	28.68
119	2026/02/27 16:45:02	221.3839	3434.30	28.69	1.24	221.3839	3433.05	28.67
120	2026/02/27 17:06:02	221.7339	3432.13	28.69	1.13	221.7339	3431.00	28.67
121	2026/02/27 17:27:02	222.0839	3429.86	28.69	1.04	222.0839	3428.82	28.67
122	2026/02/27 17:48:02	222.4339	3427.77	28.69	1.16	222.4339	3426.61	28.67
123	2026/02/27 18:09:02	222.7839	3425.69	28.68	1.14	222.7839	3424.55	28.66
124	2026/02/27 18:30:02	223.1339	3423.69	28.68	1.15	223.1339	3422.54	28.67
125	2026/02/27 18:51:02	223.4839	3421.63	28.68	1.18	223.4839	3420.46	28.66
126	2026/02/27 19:12:02	223.8339	3419.66	28.68	1.25	223.8339	3418.41	28.66
127	2026/02/27 19:33:02	224.1839	3417.66	28.67	1.24	224.1839	3416.42	28.66
128	2026/02/27 19:54:02	224.5339	3415.68	28.67	1.16	224.5339	3414.51	28.66
129	2026/02/27 20:15:02	224.8839	3413.71	28.68	1.18	224.8839	3412.53	28.66
130	2026/02/27 20:36:02	225.2339	3411.81	28.67	1.11	225.2339	3410.70	28.66
131	2026/02/27 20:57:02	225.5839	3409.95	28.67	1.12	225.5839	3408.83	28.65
132	2026/02/27 21:18:02	225.9339	3408.15	28.66	1.23	225.9339	3406.93	28.65
133	2026/02/27 21:39:02	226.2839	3406.35	28.67	1.23	226.2839	3405.11	28.65
134	2026/02/27 22:00:02	226.6339	3404.50	28.67	1.15	226.6339	3403.35	28.65
135	2026/02/27 22:21:02	226.9839	3402.71	28.66	1.24	226.9839	3401.46	28.65

Print Filter: Approximately every 42 lines

Gauge Name	Serial Number	Start Date	Start Time	Run Depth (TVD)
Bottom	100001	2026/02/18	11:22:00	652.03 m
Top	100002	2026/02/18	11:22:00	651.94 m

Company Name Fictional Oil Company Inc.  
 Unique Well ID 103/01-02-003-04W5/0  
 Start Test Date 2026/02/26  
 Final Test Date 2026/03/03

Well Name FOCI Hz Canada 103/1-2-3-4  
 Formation Lower Jurassic

	Bottom Date	Bottom Time	Bottom Pres.	Bottom Temp.	Bottom G1 - G2	Top Time	Top Pres.	Top Temp.
	(YYYY/MM/DD HH:mm:ss)	h	kPa(a)	°C	kPa	h	kPa(a)	°C
136	2026/02/27 22:42:02	227.3339	3401.02	28.66	1.22	227.3339	3399.80	28.64
137	2026/02/27 23:03:02	227.6839	3399.26	28.66	1.16	227.6839	3398.09	28.64
138	2026/02/27 23:24:02	228.0339	3397.45	28.66	1.14	228.0339	3396.32	28.64
139	2026/02/27 23:45:02	228.3839	3395.76	28.66	1.13	228.3839	3394.63	28.64
140	2026/02/28 00:06:02	228.7339	3394.12	28.65	1.20	228.7339	3392.92	28.63
141	2026/02/28 00:27:02	229.0839	3392.40	28.65	1.12	229.0839	3391.28	28.63
142	2026/02/28 00:48:02	229.4339	3390.71	28.65	1.20	229.4339	3389.51	28.63
143	2026/02/28 01:09:02	229.7839	3389.08	28.65	1.21	229.7839	3387.87	28.63
144	2026/02/28 01:30:02	230.1339	3387.45	28.64	1.23	230.1339	3386.21	28.62
145	2026/02/28 01:51:02	230.4839	3385.86	28.64	1.25	230.4839	3384.61	28.62
146	2026/02/28 02:12:02	230.8339	3384.26	28.63	1.27	230.8339	3382.99	28.62
147	2026/02/28 02:33:02	231.1839	3382.60	28.64	1.12	231.1839	3381.48	28.62
148	2026/02/28 02:54:02	231.5339	3381.00	28.63	1.12	231.5339	3379.88	28.62
149	2026/02/28 03:15:02	231.8839	3379.43	28.63	1.13	231.8839	3378.30	28.61
150	2026/02/28 03:36:02	232.2339	3377.89	28.63	1.17	232.2339	3376.72	28.61
151	2026/02/28 03:57:02	232.5839	3376.43	28.63	1.31	232.5839	3375.13	28.61
152	2026/02/28 04:18:02	232.9339	3374.87	28.63	1.26	232.9339	3373.60	28.61
153	2026/02/28 04:39:02	233.2839	3373.37	28.63	1.19	233.2839	3372.18	28.60
154	2026/02/28 05:00:02	233.6339	3371.78	28.62	1.06	233.6339	3370.72	28.60
155	2026/02/28 05:21:02	233.9839	3370.31	28.62	1.13	233.9839	3369.19	28.60
156	2026/02/28 05:42:02	234.3339	3368.85	28.62	1.16	234.3339	3367.69	28.60
157	2026/02/28 06:03:02	234.6839	3367.46	28.62	1.34	234.6839	3366.12	28.60
158	2026/02/28 06:24:02	235.0339	3365.93	28.61	1.22	235.0339	3364.71	28.59
159	2026/02/28 06:45:02	235.3839	3364.41	28.61	1.02	235.3839	3363.40	28.59
160	2026/02/28 07:06:02	235.7339	3363.06	28.61	1.19	235.7339	3361.87	28.59
161	2026/02/28 07:27:02	236.0839	3361.68	28.60	1.16	236.0839	3360.52	28.59
162	2026/02/28 07:48:02	236.4339	3360.28	28.60	1.26	236.4339	3359.02	28.58
163	2026/02/28 08:09:02	236.7839	3358.76	28.60	1.12	236.7839	3357.64	28.58
164	2026/02/28 08:30:02	237.1339	3357.40	28.60	1.21	237.1339	3356.19	28.58
165	2026/02/28 08:51:02	237.4839	3356.06	28.59	1.23	237.4839	3354.83	28.58
166	2026/02/28 09:12:02	237.8339	3354.68	28.59	1.22	237.8339	3353.46	28.57
167	2026/02/28 09:33:02	238.1839	3353.30	28.59	1.21	238.1839	3352.09	28.57
168	2026/02/28 09:54:02	238.5339	3351.97	28.59	1.20	238.5339	3350.78	28.57
169	2026/02/28 10:15:02	238.8839	3350.66	28.59	1.26	238.8839	3349.40	28.57
170	2026/02/28 10:36:02	239.2339	3349.33	28.59	1.21	239.2339	3348.12	28.57
171	2026/02/28 10:57:02	239.5839	3347.98	28.58	1.27	239.5839	3346.71	28.56
172	2026/02/28 11:18:02	239.9339	3346.66	28.58	1.28	239.9339	3345.39	28.56
173	2026/02/28 11:39:02	240.2839	3345.32	28.58	1.21	240.2839	3344.12	28.56
174	2026/02/28 12:00:02	240.6339	3344.09	28.58	1.25	240.6339	3342.84	28.56
175	2026/02/28 12:21:02	240.9839	3342.82	28.58	1.22	240.9839	3341.60	28.56
176	2026/02/28 12:42:02	241.3339	3341.42	28.58	1.14	241.3339	3340.28	28.56
177	2026/02/28 13:03:02	241.6839	3340.29	28.57	1.26	241.6839	3339.02	28.55
178	2026/02/28 13:24:02	242.0339	3338.93	28.57	1.17	242.0339	3337.76	28.55
179	2026/02/28 13:45:02	242.3839	3337.79	28.57	1.18	242.3839	3336.61	28.55
180	2026/02/28 14:06:02	242.7339	3336.52	28.57	1.18	242.7339	3335.34	28.55

Print Filter: Approximately every 42 lines

Gauge Name	Serial Number	Start Date	Start Time	Run Depth (TVD)
Bottom	100001	2026/02/18	11:22:00	652.03 m
Top	100002	2026/02/18	11:22:00	651.94 m

Company Name Fictional Oil Company Inc.  
 Unique Well ID 103/01-02-003-04W5/0  
 Start Test Date 2026/02/26  
 Final Test Date 2026/03/03

Well Name FOCI Hz Canada 103/1-2-3-4  
 Formation Lower Jurassic

	Bottom Date	Bottom Time	Bottom Pres.	Bottom Temp.	Bottom G1 - G2	Top Time	Top Pres.	Top Temp.
	(YYYY/MM/DD HH:mm:ss)	h	kPa(a)	°C	kPa	h	kPa(a)	°C
181	2026/02/28 14:27:02	243.0839	3335.27	28.57	1.16	243.0839	3334.11	28.54
182	2026/02/28 14:48:02	243.4339	3334.04	28.57	1.19	243.4339	3332.85	28.54
183	2026/02/28 15:09:02	243.7839	3332.86	28.56	1.16	243.7839	3331.70	28.54
184	2026/02/28 15:30:02	244.1339	3331.69	28.56	1.26	244.1339	3330.44	28.54
185	2026/02/28 15:51:02	244.4839	3330.46	28.56	1.25	244.4839	3329.20	28.54
186	2026/02/28 16:12:02	244.8339	3329.28	28.56	1.18	244.8339	3328.10	28.54
187	2026/02/28 16:33:02	245.1839	3328.06	28.56	1.10	245.1839	3326.96	28.53
188	2026/02/28 16:54:02	245.5339	3327.00	28.55	1.26	245.5339	3325.74	28.53
189	2026/02/28 17:15:02	245.8839	3325.73	28.55	1.17	245.8839	3324.56	28.53
190	2026/02/28 17:36:02	246.2339	3324.58	28.55	1.10	246.2339	3323.47	28.53
191	2026/02/28 17:57:02	246.5839	3323.52	28.55	1.28	246.5839	3322.24	28.52
192	2026/02/28 18:18:02	246.9339	3322.32	28.55	1.21	246.9339	3321.10	28.52
193	2026/02/28 18:39:02	247.2839	3321.20	28.55	1.28	247.2839	3319.92	28.52
194	2026/02/28 19:00:02	247.6339	3320.15	28.54	1.39	247.6339	3318.76	28.52
195	2026/02/28 19:21:02	247.9839	3318.91	28.54	1.28	247.9839	3317.64	28.52
196	2026/02/28 19:42:02	248.3339	3317.78	28.54	1.16	248.3339	3316.62	28.51
197	2026/02/28 20:03:02	248.6839	3316.62	28.54	1.14	248.6839	3315.48	28.51
198	2026/02/28 20:24:02	249.0339	3315.54	28.53	1.19	249.0339	3314.35	28.51
199	2026/02/28 20:45:02	249.3839	3314.46	28.53	1.14	249.3839	3313.33	28.51
200	2026/02/28 21:06:02	249.7339	3313.39	28.53	1.22	249.7339	3312.16	28.51
201	2026/02/28 21:27:02	250.0839	3312.31	28.53	1.30	250.0839	3311.01	28.50
202	2026/02/28 21:48:02	250.4339	3311.29	28.53	1.29	250.4339	3310.00	28.50
203	2026/02/28 22:09:02	250.7839	3310.17	28.53	1.27	250.7839	3308.91	28.50
204	2026/02/28 22:30:02	251.1339	3309.07	28.52	1.19	251.1339	3307.88	28.50
205	2026/02/28 22:51:02	251.4839	3308.12	28.52	1.31	251.4839	3306.81	28.50
206	2026/02/28 23:12:02	251.8339	3306.93	28.52	1.16	251.8339	3305.78	28.49
207	2026/02/28 23:33:02	252.1839	3305.95	28.52	1.21	252.1839	3304.74	28.49
208	2026/02/28 23:54:02	252.5339	3305.02	28.52	1.28	252.5339	3303.75	28.49
209	2026/03/01 00:15:02	252.8839	3304.03	28.51	1.30	252.8839	3302.74	28.49
210	2026/03/01 00:36:02	253.2339	3303.01	28.51	1.26	253.2339	3301.74	28.49
211	2026/03/01 00:57:02	253.5839	3302.09	28.51	1.30	253.5839	3300.79	28.49
212	2026/03/01 01:18:02	253.9339	3301.02	28.51	1.23	253.9339	3299.79	28.48
213	2026/03/01 01:39:02	254.2839	3299.99	28.50	1.13	254.2839	3298.86	28.48
214	2026/03/01 02:00:02	254.6339	3299.04	28.51	1.24	254.6339	3297.81	28.48
215	2026/03/01 02:21:02	254.9839	3298.12	28.50	1.18	254.9839	3296.94	28.48
216	2026/03/01 02:42:02	255.3339	3297.17	28.50	1.22	255.3339	3295.95	28.48
217	2026/03/01 03:03:02	255.6839	3296.25	28.50	1.26	255.6839	3294.99	28.48
218	2026/03/01 03:24:02	256.0339	3295.35	28.50	1.27	256.0339	3294.08	28.48
219	2026/03/01 03:45:02	256.3839	3294.36	28.50	1.22	256.3839	3293.13	28.47
220	2026/03/01 04:06:02	256.7339	3293.50	28.50	1.34	256.7339	3292.16	28.47
221	2026/03/01 04:27:02	257.0839	3292.47	28.50	1.18	257.0839	3291.30	28.47
222	2026/03/01 04:48:02	257.4339	3291.62	28.49	1.29	257.4339	3290.34	28.47
223	2026/03/01 05:09:02	257.7839	3290.61	28.49	1.14	257.7839	3289.47	28.47
224	2026/03/01 05:30:02	258.1339	3289.81	28.49	1.28	258.1339	3288.53	28.46
225	2026/03/01 05:51:02	258.4839	3288.86	28.49	1.20	258.4839	3287.66	28.46

Print Filter: Approximately every 42 lines

Gauge Name	Serial Number	Start Date	Start Time	Run Depth (TVD)
Bottom	100001	2026/02/18	11:22:00	652.03 m
Top	100002	2026/02/18	11:22:00	651.94 m

Company Name Fictional Oil Company Inc.  
 Unique Well ID 103/01-02-003-04W5/0  
 Start Test Date 2026/02/26  
 Final Test Date 2026/03/03

Well Name FOCI Hz Canada 103/1-2-3-4  
 Formation Lower Jurassic

	Bottom Date	Bottom Time	Bottom Pres.	Bottom Temp.	Bottom G1 - G2	Top Time	Top Pres.	Top Temp.
	(YYYY/MM/DD HH:mm:ss)	h	kPa(a)	°C	kPa	h	kPa(a)	°C
226	2026/03/01 06:12:02	258.8339	3288.01	28.49	1.19	258.8339	3286.82	28.46
227	2026/03/01 06:33:02	259.1839	3287.20	28.48	1.32	259.1839	3285.88	28.46
228	2026/03/01 06:54:02	259.5339	3286.28	28.48	1.26	259.5339	3285.02	28.46
229	2026/03/01 07:15:02	259.8839	3285.37	28.48	1.23	259.8839	3284.14	28.46
230	2026/03/01 07:36:02	260.2339	3284.45	28.48	1.15	260.2339	3283.30	28.45
231	2026/03/01 07:57:02	260.5839	3283.62	28.48	1.26	260.5839	3282.36	28.45
232	2026/03/01 08:18:02	260.9339	3282.74	28.48	1.24	260.9339	3281.50	28.45
233	2026/03/01 08:39:02	261.2839	3281.89	28.47	1.24	261.2839	3280.64	28.45
234	2026/03/01 09:00:02	261.6339	3281.02	28.47	1.30	261.6339	3279.72	28.45
235	2026/03/01 09:21:02	261.9839	3280.10	28.47	1.21	261.9839	3278.89	28.45
236	2026/03/01 09:42:02	262.3339	3279.31	28.47	1.32	262.3339	3277.99	28.45
237	2026/03/01 10:03:02	262.6839	3278.46	28.47	1.28	262.6839	3277.19	28.44
238	2026/03/01 10:24:02	263.0339	3277.54	28.46	1.21	263.0339	3276.34	28.44
239	2026/03/01 10:45:02	263.3839	3276.69	28.46	1.19	263.3839	3275.50	28.44
240	2026/03/01 11:06:02	263.7339	3275.80	28.46	1.14	263.7339	3274.66	28.44
241	2026/03/01 11:27:02	264.0839	3275.06	28.46	1.22	264.0839	3273.84	28.44
242	2026/03/01 11:48:02	264.4339	3274.23	28.46	1.28	264.4339	3272.95	28.44
243	2026/03/01 12:09:02	264.7839	3273.38	28.46	1.26	264.7839	3272.12	28.44
244	2026/03/01 12:30:02	265.1339	3272.58	28.46	1.29	265.1339	3271.29	28.43
245	2026/03/01 12:51:02	265.4839	3271.75	28.45	1.22	265.4839	3270.53	28.43
246	2026/03/01 13:12:02	265.8339	3270.99	28.45	1.28	265.8339	3269.71	28.43
247	2026/03/01 13:33:02	266.1839	3270.21	28.45	1.21	266.1839	3269.00	28.43
248	2026/03/01 13:54:02	266.5339	3269.37	28.45	1.27	266.5339	3268.10	28.43
249	2026/03/01 14:15:02	266.8839	3268.53	28.45	1.16	266.8839	3267.36	28.43
250	2026/03/01 14:36:02	267.2339	3267.80	28.45	1.33	267.2339	3266.47	28.42
251	2026/03/01 14:57:02	267.5839	3267.02	28.44	1.32	267.5839	3265.70	28.42
252	2026/03/01 15:18:02	267.9339	3266.25	28.44	1.27	267.9339	3264.99	28.42
253	2026/03/01 15:39:02	268.2839	3265.46	28.44	1.18	268.2839	3264.29	28.42
254	2026/03/01 16:00:02	268.6339	3264.74	28.44	1.33	268.6339	3263.41	28.42
255	2026/03/01 16:21:02	268.9839	3263.96	28.44	1.28	268.9839	3262.68	28.41
256	2026/03/01 16:42:02	269.3339	3263.19	28.44	1.22	269.3339	3261.97	28.41
257	2026/03/01 17:03:02	269.6839	3262.42	28.44	1.25	269.6839	3261.17	28.41
258	2026/03/01 17:24:02	270.0339	3261.73	28.43	1.31	270.0339	3260.42	28.41
259	2026/03/01 17:45:02	270.3839	3261.01	28.43	1.29	270.3839	3259.72	28.41
260	2026/03/01 18:06:02	270.7339	3260.27	28.43	1.36	270.7339	3258.91	28.41
261	2026/03/01 18:27:02	271.0839	3259.50	28.43	1.24	271.0839	3258.26	28.41
262	2026/03/01 18:48:02	271.4339	3258.76	28.43	1.26	271.4339	3257.50	28.40
263	2026/03/01 19:09:02	271.7839	3258.08	28.43	1.41	271.7839	3256.67	28.40
264	2026/03/01 19:30:02	272.1339	3257.31	28.43	1.31	272.1339	3256.01	28.40
265	2026/03/01 19:51:02	272.4839	3256.44	28.42	1.16	272.4839	3255.28	28.40
266	2026/03/01 20:12:02	272.8339	3255.89	28.42	1.41	272.8339	3254.48	28.40
267	2026/03/01 20:33:02	273.1839	3255.10	28.42	1.29	273.1839	3253.81	28.40
268	2026/03/01 20:54:02	273.5339	3254.29	28.42	1.25	273.5339	3253.04	28.39
269	2026/03/01 21:15:02	273.8839	3253.62	28.42	1.23	273.8839	3252.39	28.39
270	2026/03/01 21:36:02	274.2339	3252.96	28.42	1.29	274.2339	3251.67	28.39

Print Filter: Approximately every 42 lines

Gauge Name	Serial Number	Start Date	Start Time	Run Depth (TVD)
Bottom	100001	2026/02/18	11:22:00	652.03 m
Top	100002	2026/02/18	11:22:00	651.94 m

Company Name Fictional Oil Company Inc.  
 Unique Well ID 103/01-02-003-04W5/0  
 Start Test Date 2026/02/26  
 Final Test Date 2026/03/03

Well Name FOCI Hz Canada 103/1-2-3-4  
 Formation Lower Jurassic

	Bottom Date	Bottom Time	Bottom Pres.	Bottom Temp.	Bottom G1 - G2	Top Time	Top Pres.	Top Temp.
	YYYY/MM/DD HH:mm:ss	h	kPa(a)	°C	kPa	h	kPa(a)	°C
271	2026/03/01 21:57:02	274.5839	3252.14	28.41	1.15	274.5839	3250.99	28.39
272	2026/03/01 22:18:02	274.9339	3251.48	28.41	1.30	274.9339	3250.18	28.39
273	2026/03/01 22:39:02	275.2839	3250.79	28.41	1.14	275.2839	3249.64	28.39
274	2026/03/01 23:00:02	275.6339	3250.08	28.41	1.19	275.6339	3248.89	28.38
275	2026/03/01 23:21:02	275.9839	3249.46	28.41	1.36	275.9839	3248.10	28.38
276	2026/03/01 23:42:02	276.3339	3248.72	28.41	1.14	276.3339	3247.58	28.38
277	2026/03/02 00:03:02	276.6839	3248.06	28.41	1.28	276.6839	3246.78	28.38
278	2026/03/02 00:24:02	277.0339	3247.45	28.41	1.27	277.0339	3246.18	28.38
279	2026/03/02 00:45:02	277.3839	3246.76	28.40	1.32	277.3839	3245.44	28.38
280	2026/03/02 01:06:02	277.7339	3246.10	28.40	1.26	277.7339	3244.84	28.38
281	2026/03/02 01:27:02	278.0839	3245.42	28.40	1.16	278.0839	3244.26	28.37
282	2026/03/02 01:48:02	278.4339	3244.87	28.40	1.30	278.4339	3243.57	28.37
283	2026/03/02 02:09:02	278.7839	3244.28	28.40	1.31	278.7839	3242.97	28.37
284	2026/03/02 02:30:02	279.1339	3243.63	28.40	1.24	279.1339	3242.39	28.37
285	2026/03/02 02:51:02	279.4839	3243.02	28.39	1.33	279.4839	3241.69	28.37
286	2026/03/02 03:12:02	279.8339	3242.38	28.39	1.26	279.8339	3241.12	28.37
287	2026/03/02 03:33:02	280.1839	3241.75	28.39	1.26	280.1839	3240.49	28.36
288	2026/03/02 03:54:02	280.5339	3241.14	28.39	1.29	280.5339	3239.85	28.36
289	2026/03/02 04:15:02	280.8839	3240.55	28.39	1.24	280.8839	3239.31	28.36
290	2026/03/02 04:36:02	281.2339	3239.95	28.39	1.19	281.2339	3238.76	28.36
291	2026/03/02 04:57:02	281.5839	3239.43	28.38	1.32	281.5839	3238.11	28.36
292	2026/03/02 05:18:02	281.9339	3238.82	28.38	1.34	281.9339	3237.48	28.36
293	2026/03/02 05:39:02	282.2839	3238.18	28.38	1.29	282.2839	3236.89	28.36
294	2026/03/02 06:00:02	282.6339	3237.54	28.38	1.22	282.6339	3236.33	28.35
295	2026/03/02 06:21:02	282.9839	3236.98	28.38	1.34	282.9839	3235.64	28.35
296	2026/03/02 06:42:02	283.3339	3236.40	28.38	1.27	283.3339	3235.13	28.35
297	2026/03/02 07:03:02	283.6839	3235.83	28.38	1.27	283.6839	3234.56	28.35
298	2026/03/02 07:24:02	284.0339	3235.20	28.38	1.29	284.0339	3233.91	28.35
299	2026/03/02 07:45:02	284.3839	3234.72	28.38	1.27	284.3839	3233.45	28.35
300	2026/03/02 08:06:02	284.7339	3234.14	28.37	1.27	284.7339	3232.86	28.35
301	2026/03/02 08:27:02	285.0839	3233.51	28.37	1.27	285.0839	3232.25	28.34
302	2026/03/02 08:48:02	285.4339	3233.00	28.37	1.34	285.4339	3231.66	28.34
303	2026/03/02 09:09:02	285.7839	3232.32	28.37	1.29	285.7839	3231.03	28.34
304	2026/03/02 09:30:02	286.1339	3231.69	28.37	1.20	286.1339	3230.49	28.34
305	2026/03/02 09:51:02	286.4839	3231.13	28.37	1.19	286.4839	3229.94	28.34
306	2026/03/02 10:12:02	286.8339	3230.55	28.36	1.16	286.8339	3229.39	28.34
307	2026/03/02 10:33:02	287.1839	3230.08	28.36	1.37	287.1839	3228.71	28.33
308	2026/03/02 10:54:02	287.5339	3229.56	28.36	1.42	287.5339	3228.13	28.34
309	2026/03/02 11:15:02	287.8839	3228.95	28.36	1.35	287.8839	3227.61	28.33
310	2026/03/02 11:36:02	288.2339	3228.37	28.36	1.38	288.2339	3226.98	28.33
311	2026/03/02 11:57:02	288.5839	3227.81	28.36	1.36	288.5839	3226.45	28.33
312	2026/03/02 12:18:02	288.9339	3227.29	28.36	1.36	288.9339	3225.94	28.33
313	2026/03/02 12:39:02	289.2839	3226.71	28.35	1.24	289.2839	3225.47	28.33
314	2026/03/02 13:00:02	289.6339	3226.11	28.35	1.25	289.6339	3224.85	28.33
315	2026/03/02 13:21:02	289.9839	3225.64	28.35	1.35	289.9839	3224.29	28.32

Print Filter: Approximately every 42 lines

Gauge Name	Serial Number	Start Date	Start Time	Run Depth (TVD)
Bottom	100001	2026/02/18	11:22:00	652.03 m
Top	100002	2026/02/18	11:22:00	651.94 m

Company Name Fictional Oil Company Inc.  
 Unique Well ID 103/01-02-003-04W5/0  
 Start Test Date 2026/02/26  
 Final Test Date 2026/03/03

Well Name FOCI Hz Canada 103/1-2-3-4  
 Formation Lower Jurassic

	Bottom Date	Bottom Time	Bottom Pres.	Bottom Temp.	Bottom G1 - G2	Top Time	Top Pres.	Top Temp.
	(YYYY/MM/DD HH:mm:ss)	h	kPa(a)	°C	kPa	h	kPa(a)	°C
316	2026/03/02 13:42:02	290.3339	3225.01	28.35	1.23	290.3339	3223.78	28.32
317	2026/03/02 14:03:02	290.6839	3224.58	28.35	1.33	290.6839	3223.25	28.32
318	2026/03/02 14:24:02	291.0339	3223.95	28.35	1.20	291.0339	3222.75	28.32
319	2026/03/02 14:45:02	291.3839	3223.41	28.35	1.22	291.3839	3222.19	28.32
320	2026/03/02 15:06:02	291.7339	3222.93	28.34	1.25	291.7339	3221.67	28.32
321	2026/03/02 15:27:02	292.0839	3222.50	28.33	1.34	292.0839	3221.15	28.31
322	2026/03/02 15:48:02	292.4339	3222.00	28.33	1.39	292.4339	3220.60	28.31
323	2026/03/02 16:09:02	292.7839	3221.41	28.32	1.25	292.7839	3220.16	28.31
324	2026/03/02 16:30:02	293.1339	3220.88	28.32	1.25	293.1339	3219.63	28.31
325	2026/03/02 16:51:02	293.4839	3220.38	28.32	1.23	293.4839	3219.15	28.31
326	2026/03/02 17:12:02	293.8339	3219.88	28.32	1.30	293.8339	3218.58	28.30
327	2026/03/02 17:33:02	294.1839	3219.41	28.31	1.33	294.1839	3218.08	28.30
328	2026/03/02 17:54:02	294.5339	3218.92	28.31	1.36	294.5339	3217.56	28.30
329	2026/03/02 18:15:02	294.8839	3218.35	28.31	1.28	294.8839	3217.06	28.29
330	2026/03/02 18:36:02	295.2339	3217.91	28.30	1.23	295.2339	3216.68	28.29
331	2026/03/02 18:57:02	295.5839	3217.32	28.30	1.30	295.5839	3216.02	28.29
332	2026/03/02 19:18:02	295.9339	3216.88	28.30	1.26	295.9339	3215.62	28.29
333	2026/03/02 19:39:02	296.2839	3216.35	28.30	1.27	296.2839	3215.09	28.28
334	2026/03/02 20:00:02	296.6339	3215.88	28.30	1.27	296.6339	3214.61	28.28
335	2026/03/02 20:21:02	296.9839	3215.32	28.29	1.21	296.9839	3214.10	28.28
336	2026/03/02 20:42:02	297.3339	3214.87	28.29	1.33	297.3339	3213.54	28.28
337	2026/03/02 21:03:02	297.6839	3214.35	28.29	1.34	297.6839	3213.00	28.27
338	2026/03/02 21:24:02	298.0339	3213.81	28.29	1.26	298.0339	3212.56	28.27
339	2026/03/02 21:45:02	298.3839	3213.35	28.29	1.34	298.3839	3212.01	28.27
340	2026/03/02 22:06:02	298.7339	3212.84	28.29	1.29	298.7339	3211.54	28.27
341	2026/03/02 22:27:02	299.0839	3212.35	28.28	1.32	299.0839	3211.03	28.27
342	2026/03/02 22:48:02	299.4339	3211.81	28.28	1.21	299.4339	3210.59	28.27
343	2026/03/02 23:09:02	299.7839	3211.46	28.28	1.35	299.7839	3210.12	28.26
344	2026/03/02 23:30:02	300.1339	3210.96	28.28	1.33	300.1339	3209.63	28.26
345	2026/03/02 23:51:02	300.4839	3210.51	28.27	1.26	300.4839	3209.25	28.26
346	2026/03/03 00:12:02	300.8339	3209.96	28.27	1.24	300.8339	3208.73	28.25
347	2026/03/03 00:33:02	301.1839	3209.63	28.27	1.36	301.1839	3208.27	28.25
348	2026/03/03 00:54:02	301.5339	3209.15	28.27	1.25	301.5339	3207.91	28.25
349	2026/03/03 01:15:02	301.8839	3208.71	28.26	1.20	301.8839	3207.51	28.25
350	2026/03/03 01:36:02	302.2339	3208.24	28.26	1.33	302.2339	3206.91	28.25
351	2026/03/03 01:57:02	302.5839	3207.95	28.26	1.38	302.5839	3206.57	28.25
352	2026/03/03 02:18:02	302.9339	3207.42	28.26	1.32	302.9339	3206.11	28.25
353	2026/03/03 02:39:02	303.2839	3206.98	28.25	1.24	303.2839	3205.74	28.24
354	2026/03/03 03:00:02	303.6339	3206.61	28.25	1.32	303.6339	3205.29	28.24
355	2026/03/03 03:21:02	303.9839	3206.22	28.25	1.33	303.9839	3204.90	28.24
356	2026/03/03 03:42:02	304.3339	3205.77	28.25	1.26	304.3339	3204.51	28.24
357	2026/03/03 04:03:02	304.6839	3205.41	28.25	1.34	304.6839	3204.07	28.24
358	2026/03/03 04:24:02	305.0339	3204.93	28.25	1.33	305.0339	3203.60	28.24
359	2026/03/03 04:45:02	305.3839	3204.58	28.25	1.29	305.3839	3203.29	28.24
360	2026/03/03 05:06:02	305.7339	3204.15	28.25	1.31	305.7339	3202.84	28.24

Print Filter: Approximately every 42 lines

Gauge Name	Serial Number	Start Date	Start Time	Run Depth (TVD)
Bottom	100001	2026/02/18	11:22:00	652.03 m
Top	100002	2026/02/18	11:22:00	651.94 m

Company Name Fictional Oil Company Inc.  
 Unique Well ID 103/01-02-003-04W5/0  
 Start Test Date 2026/02/26  
 Final Test Date 2026/03/03

Well Name FOCI Hz Canada 103/1-2-3-4  
 Formation Lower Jurassic

	Bottom Date	Bottom Time	Bottom Pres.	Bottom Temp.	Bottom G1 - G2	Top Time	Top Pres.	Top Temp.
	(YYYY/MM/DD HH:mm:ss)	h	kPa(a)	°C	kPa	h	kPa(a)	°C
361	2026/03/03 05:27:02	306.0839	3203.69	28.25	1.22	306.0839	3202.47	28.23
362	2026/03/03 05:48:02	306.4339	3203.25	28.24	1.22	306.4339	3202.03	28.23
363	2026/03/03 06:09:02	306.7839	3202.92	28.24	1.27	306.7839	3201.65	28.23
364	2026/03/03 06:30:02	307.1339	3202.49	28.24	1.30	307.1339	3201.19	28.23
365	2026/03/03 06:51:02	307.4839	3202.08	28.24	1.32	307.4839	3200.76	28.23
366	2026/03/03 07:12:02	307.8339	3201.69	28.24	1.29	307.8339	3200.41	28.23
367	2026/03/03 07:33:02	308.1839	3201.28	28.24	1.33	308.1839	3199.95	28.23
368	2026/03/03 07:54:02	308.5339	3200.83	28.23	1.32	308.5339	3199.50	28.23
369	2026/03/03 08:15:02	308.8839	3200.39	28.24	1.16	308.8839	3199.23	28.23
370	2026/03/03 08:32:02	309.1672	3200.11	28.23	1.32	309.1672	3198.79	28.22
371	Begin the final 6hrs on bottom							
372	2026/03/03 08:32:32	309.1756	3200.09	28.23	1.30	309.1756	3198.79	28.22
373	2026/03/03 08:36:02	309.2339	3199.98	28.23	1.28	309.2339	3198.70	28.22
374	2026/03/03 08:57:02	309.5839	3199.54	28.23	1.24	309.5839	3198.29	28.22
375	2026/03/03 09:18:02	309.9339	3199.13	28.23	1.22	309.9339	3197.91	28.22
376	2026/03/03 09:39:02	310.2839	3198.70	28.23	1.28	310.2839	3197.43	28.22
377	2026/03/03 10:00:02	310.6339	3198.27	28.23	1.24	310.6339	3197.02	28.22
378	2026/03/03 10:21:02	310.9839	3197.89	28.23	1.33	310.9839	3196.56	28.22
379	2026/03/03 10:42:02	311.3339	3197.40	28.23	1.31	311.3339	3196.09	28.22
380	2026/03/03 11:03:02	311.6839	3197.03	28.22	1.31	311.6839	3195.72	28.21
381	2026/03/03 11:24:02	312.0339	3196.56	28.22	1.32	312.0339	3195.24	28.21
382	2026/03/03 11:45:02	312.3839	3196.19	28.22	1.32	312.3839	3194.87	28.21
383	2026/03/03 12:06:02	312.7339	3195.81	28.22	1.37	312.7339	3194.44	28.21
384	2026/03/03 12:27:02	313.0839	3195.39	28.22	1.32	313.0839	3194.06	28.21
385	2026/03/03 12:48:02	313.4339	3194.93	28.22	1.29	313.4339	3193.64	28.21
386	2026/03/03 13:09:02	313.7839	3194.48	28.22	1.35	313.7839	3193.14	28.21
387	2026/03/03 13:30:02	314.1339	3194.09	28.22	1.25	314.1339	3192.85	28.21
388	2026/03/03 13:51:02	314.4839	3193.66	28.21	1.18	314.4839	3192.48	28.21
389	2026/03/03 14:12:02	314.8339	3193.36	28.21	1.39	314.8339	3191.97	28.21
390	2026/03/03 14:32:02	315.1672	3192.98	28.21	1.33	315.1672	3191.65	28.20
391	Final Pressure - Release & pull the WRP/Recorders to Surface							
392								
393	2026/03/03 14:32:32	315.1756	3192.97	28.21	1.31	315.1756	3191.66	28.20
394	2026/03/03 14:33:02	315.1839	3193.25	28.21	1.60	315.1839	3191.66	28.20
395	2026/03/03 14:54:02	315.5339	4273.81	22.71	-7.87	315.5339	4281.68	22.68
396	2026/03/03 15:15:02	315.8839	460.21	17.12	-1.06	315.8839	461.27	17.17
397	2026/03/03 15:30:02	316.1339	94.62	16.34	-0.87	316.1339	95.49	16.31

Print Filter: Approximately every 42 lines

Gauge Name	Serial Number	Start Date	Start Time	Run Depth (TVD)
Bottom	100001	2026/02/18	11:22:00	652.03 m
Top	100002	2026/02/18	11:22:00	651.94 m